



FAIRFAX **4.2 MM** **WATERPROOF** VINYL PLANK

The Fairfax XRP waterproof vinyl plank is a durable, cost effective and beautiful flooring option for your home or business.

- 4.2mm SPC (Stone Polymer Composite), 3.2mm core with a 1mm EVA pad attached. Wood grain embossing.
- 6 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 12 planks and 23.64 sq. ft per carton
- Carton weight: 31.68 lbs.
- Floorscore Certified
- Warranty: 10 year residential

Fairfax 4.2MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP4FX	Fairfax 4.2 MM XRP	Gray
XRP4FXMRQR	Fairfax XRP Quarter Round	Gray
XRP4FXVE	Fairfax XRP VersaEdge Stair Nose	Gray
XRP4FXSLTP31	Fairfax XRP All-In-One Trim	Gray





PORTSMOUTH **4.2 MM** **WATERPROOF** VINYL PLANK

The Portsmouth XRP waterproof vinyl plank is a durable, cost effective and beautiful flooring option for your home or business.

- 4.2mm SPC (Stone Polymer Composite), 3.2mm core with a 1mm EVA pad attached. Wood grain embossing.
- 6 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 12 planks and 23.64 sq. ft per carton
- Carton weight: 31.68 lbs.
- Floorscore Certified
- Warranty: 10 year residential



Portsmouth 4.2MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP4PO	Portsmouth 4.2 MM XRP	Gray
XRP4POMRQR	Portsmouth XRP Quarter Round	Gray
XRP4POVE	Portsmouth XRP VersaEdge Stair Nose	Gray
XRP4POSOTP31	Portsmouth XRP All-In-One Trim	Gray





RICHMOND **4.2 MM** **WATERPROOF** VINYL PLANK

The Richmond XRP waterproof vinyl plank is a durable, cost effective and beautiful flooring option for your home or business.

- 4.2mm SPC (Stone Polymer Composite), 3.2mm core with a 1mm EVA pad attached. Wood grain embossing.
- 6 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 12 planks and 23.64 sq. ft per carton
- Carton weight: 31.68 lbs.
- Floorscore Certified
- Warranty: 10 year residential



Richmond 4.2MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP4RD	Richmond 4.2 MM XRP	Gray - Brown
XRP4RDMRQR	Richmond XRP Quarter Round	Gray - Brown
XRP4RDVE	Richmond Versa Edge Stair Nose	Gray - Brown
XRP4RDSLTP31	Richmond All-in-One Trim	Gray - Brown





ALEXANDRIA **4.2 MM** **WATERPROOF** VINYL PLANK

The Alexandria XRP waterproof vinyl plank is a durable, cost effective and beautiful flooring option for your home or business.

- 4.2mm SPC (Stone Polymer Composite), 3.2mm core with a 1mm EVA pad attached. Wood grain embossing.
- 6 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 12 planks and 23.64 sq. ft per carton
- Carton weight: 31.68 lbs.
- Floorscore Certified
- Warranty: 10 year residential



Alexandria 4.2MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP4AL	Alexandria 4.2 MM XRP	Brown-Gray
XRP4ALMRQR	Alexandria XRP Quarter Round	Brown-Gray
XRP4ALVE	Alexandria XRP VersaEdge Stair Nose	Brown-Gray
XRP4ALSSTP31	Alexandria XRP All-In-One Trim	Brown-Gray





BEDFORD 5 MM WATERPROOF VINYL TILE

The Bedford XRP waterproof vinyl tile is an easy to install solution for tile flooring, without the mess of grout!

- 5mm SPC (Stone Polymer Composite), 4mm core with a 1mm EVA pad attached. Stone texture embossing.
- 12 mil wear layer
- Click and Float installation
- Dimensions: 12" x 24"
- 8 tiles and 16 sq. ft per carton
- Carton weight: 21 lbs.
- Floorscore Certified
- Warranty: 10 year residential



Bedford 5MM Waterproof Vinyl Tile		
PRODUCT	DESCRIPTION	FINISH
XRP5BD	Bedford 5 MM XRP	Gray - Brown
XRP5BDMRQR	Bedford XRP Quarter Round	Gray - Brown
XRP5BDVE	Bedford XRP VersaEdge Stair Nose	Gray - Brown
XRP5BDSLTP31	Bedford XRP All-In-One Trim	Gray - Brown





VIENNA **5 MM** **WATERPROOF** VINYL TILE

The Vienna XRP waterproof vinyl tile is an easy to install solution for tile flooring, without the mess of grout!

- 5mm SPC (Stone Polymer Composite), 4mm core with a 1mm EVA pad attached. Stone texture embossing.
- 12 mil wear layer
- Click and Float installation
- Dimensions: 12" x 24"
- 8 tiles and 16 sq. ft per carton
- Carton weight: 21 lbs.
- Floorscore Certified
- Warranty: 10 year residential



Vienna 5MM Waterproof Vinyl Tile

PRODUCT	DESCRIPTION	FINISH
XRP5VA	Vienna 5MM XRP	Gray
XRP5VAMRQR	Vienna XRP Quarter Round	Gray
XRP5VAVE	Vienna XRP VersaEdge Stair Nose	Gray
XRP5VASLTP31	Vienna XRP All-In-One Trim	Gray





CULPEPPER **5 MM** **WATERPROOF** VINYL TILE

The Culpepper XRP waterproof vinyl tile is an easy to install solution for tile flooring, without the mess of grout!

- 5mm SPC (Stone Polymer Composite), 4mm core with a 1mm EVA pad attached. Stone texture embossing.
- 12 mil wear layer
- Click and Float installation
- Dimensions: 12" x 24"
- 8 tiles and 16 sq. ft per carton
- Carton weight: 21 lbs.
- Floorscore Certified
- Warranty: 10 year residential



Culpepper 5MM Waterproof Vinyl Tile

PRODUCT	DESCRIPTION	FINISH
XRP5CR	Culpepper 5 MM XRP	Gray
XRP5CRMQR	Culpepper XRP Quarter Round	Gray
XRP5CRVE	Culpepper XRP VersaEdge Stair Nose	Gray
XRP5CRSLTP31	Culpepper XRP All-In-One Trim	Gray





QUINTON 5 MM WATERPROOF VINYL TILE

The Quinton XRP waterproof vinyl tile is an easy to install solution for tile flooring, without the mess of grout!

- 5mm SPC (Stone Polymer Composite), 4mm core with a 1mm EVA pad attached. Stone texture embossing.
- 12 mil wear layer
- Click and Float installation
- Dimensions: 12" x 24"
- 8 tiles and 16 sq. ft per carton
- Carton weight: 21 lbs.
- Floorscore Certified
- Warranty: 10 year residential



Quinton 5MM Waterproof Vinyl Tile

PRODUCT	DESCRIPTION	FINISH
XRP5QN	Quinton 5MM XRP	Brown
XRP5QNMQR	Quinton XRP Quarter Round	Brown
XRP5QNVE	Quinton XRP VersaEdge Stair Nose	Brown
XRP5QNSLTP31	Quinton XRP All-In-One Trim	Brown





SALEM **6 MM** **WATERPROOF** VINYL PLANK

The Salem XRP waterproof vinyl plank is a durable and realistic alternative to high end, wide width engineered hardwood flooring, at a great price!

- 6 mm SPC (Stone Polymer Composite), 5 mm core with a 1mm IXPE pad attached. Registered Embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 9"x60"
- 6 planks and 22.44 sq. ft per carton
- Carton weight: 48 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Salem 6 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP6SM	Salem 6MM XRP	Gray
XRP6SMMRQR	Salem XRP Quarter Round	Gray
XRP6SMVE	Salem XRP VersaEdge Stair Nose	Gray
XRP6SMSLTP31	Salem XRP All-In-One Trim	Gray





ASHLAND **6 MM** **WATERPROOF** VINYL PLANK

The Ashland XRP waterproof vinyl plank is a durable and realistic alternative to high end, wide width engineered hardwood flooring, at a great price!

- 6 mm SPC (Stone Polymer Composite), 5 mm core with a 1mm IXPE pad attached. Registered Embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 9"x60"
- 6 planks and 22.44 sq. ft per carton
- Carton weight: 48 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Ashland 6 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP6AD	Ashland 6MM XRP	Gray
XRP6ADMRQR	Ashland XRP Quarter Round	Gray
XRP6ADVE	Ashland XRP VersaEdge Stair Nose	Gray
XRP6ADSLTP31	Ashland XRP All-In-One Trim	Gray





FRONT ROYAL **6MM** **WATERPROOF VINYL PLANK**

The Front Royal XRP waterproof vinyl plank is a durable and realistic alternative to high end, wide width engineered hardwood flooring, at a great price!

- 6 mm SPC (Stone Polymer Composite), 5 mm core with a 1mm IXPE pad attached. Registered Embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 9"x60"
- 6 planks and 22.44 sq. ft per carton
- Carton weight: 48 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Front Royal 6 MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP6FR	Front Royal 6MM XRP	Brown
XRP6FRMRQR	Front Royal XRP Quarter Round	Brown
XRP6FRVE	Front Royal XRP VersaEdge Stair Nose	Brown
XRP6FRSLTP31	Front Royal XRP All-In-One Trim	Brown



WASHINGTON 6 MM WATERPROOF VINYL PLANK

The Washington XRP waterproof vinyl plank is a durable and realistic alternative to high end, wide width engineered hardwood flooring, at a great price!

- 6 mm SPC (Stone Polymer Composite), 5 mm core with a 1mm IXPE pad attached. Registered Embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 9"x60"
- 6 planks and 22.44 sq. ft per carton
- Carton weight: 48 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Washington 6 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP6WN	Washington 6MM XRP	Brown
XRP6WNMRQR	Washington Quarter Round	Brown
XRP6WNVE	Washington VersaEdge Stair Nose	Brown
XRP6WNSLTP31	Washington All-In-One Trim	Brown





LEXINGTON **6.5 MM** **WATERPROOF VINYL PLANK**

The Lexington XRP waterproof vinyl plank is a new format with planks 3 1/4" wide and random lengths, just like modern wood flooring! With realistic texture and on trend colors, these planks will have visitors denying these floors are not real wood!

- 6.5 mm WPC (Wood Composite Core), 5.5mm core with a 1mm IXPE pad attached. Registered Embossing
- 20 mil wear layer
- Click and Float installation
- Dimensions: 3 1/4" x 20", 40" and 60" random lengths
- 22 planks and 23.64 sq. ft per carton
- Carton weight: 21.66 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Lexington 6.5 MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP6LX	Lexington 6.5MM XRP	Light Gray
XRP6LXMRQR	Lexington XRP Quarter Round	Light Gray
XRP6LXVE	Lexington XRP VersaEdge Stair Nose	Light Gray
XRP6LXSLTP31	Lexington XRP All-In-One Trim	Light Gray





HAMPTON **6.5 MM** **WATERPROOF** VINYL PLANK

The Hampton XRP waterproof vinyl plank is a new format with planks 3 1/4" wide and random lengths, just like modern wood flooring! With realistic texture and on trend colors, these planks will have visitors denying these floors are not real wood!

- 6.5 mm WPC (Wood Composite Core), 5.5mm core with a 1mm IXPE pad attached. Registered Embossing
- 20 mil wear layer
- Click and Float installation
- Dimensions: 3 1/4" x 20", 40" and 60" random lengths
- 22 planks and 23.64 sq. ft per carton
- Carton weight: 21.66 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Hampton 6.5 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP6HN	Hampton 6.5MM XRP	Gray
XRP6HNMQR	Hampton XRP Quarter Round	Gray
XRP6HNVE	Hampton XRP VersaEdge Stair Nose	Gray
XRP6HNSLTP31	Hampton XRP All-In-One Trim	Gray





WILLIAMSBURG **6.5 MM** **WATERPROOF VINYL PLANK**

The Williamsburg XRP waterproof vinyl plank is a new format with planks 3 ¼" wide and random lengths, just like modern wood flooring! With realistic texture and on trend colors, these planks will have visitors denying these floors are not real wood!

- 6.5 mm WPC (Wood Composite Core), 5.5mm core with a 1mm IXPE pad attached. Registered Embossing
- 20 mil wear layer
- Click and Float installation
- Dimensions: 3 ¼" x 20", 40" and 60" random lengths
- 22 planks and 23.64 sq. ft per carton
- Carton weight: 21.66 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Williamsburg 6.5 MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP6WG	Williamsburg 6.5MM XRP	Brown
XRP6WGMQR	Williamsburg XRP Quarter Round	Brown
XRP6WGVE	Williamsburg XRP VersaEdge Stair Nose	Brown
XRP6WGLTP31	Williamsburg XRP All-In-One Trim	Brown





REMINGTON **6.5 MM** **WATERPROOF** VINYL PLANK

The Remington XRP waterproof vinyl plank is a new format with planks 3 1/4" wide and random lengths, just like modern wood flooring! With realistic texture and on trend colors, these planks will have visitors denying these floors are not real wood!

- 6.5 mm WPC (Wood Composite Core), 5.5mm core with a 1mm IXPE pad attached. Registered Embossing
- 20 mil wear layer
- Click and Float installation
- Dimensions: 3 1/4" x 20", 40" and 60" random lengths
- 22 planks and 23.64 sq. ft per carton
- Carton weight: 21.66 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Remington 6.5 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP6RN	Remington 6.5MM XRP	Gray
XRP6RNMRQR	Remington XRP Quarter Round	Gray
XRP6RNVE	Remington XRP VersaEdge Stair Nose	Gray
XRP6RNSLTP31	Remington XRP All-In-One Trim	Gray





MAPLE 8 MM WATERPROOF VINYL PLANK

The Maple XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8mm WPC (Wood Composite Core), 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing
- 20 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 8 planks and 15.76 sq. ft per carton
- Carton weight: 23 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Maple 8 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP8MA	Maple 8MM XRP	Maple
XRP8MAMRQR	Maple XRP Quarter Round	Maple
XRP8MAVE	Maple XRP VersaEdge Stair Nose	Maple
XRP8MASLTP31	Maple XRP All-In-One Trim	Maple





HICKORY 8 MM WATERPROOF VINYL PLANK

The Hickory XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8mm WPC (Wood Composite Core), 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing
- 20 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 8 planks and 15.76 sq. ft per carton
- Carton weight: 23 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Hickory 8 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP8HI	Hickory 8MM XRP	Hickory
XRP8HIMRQR	Hickory XRP Quarter Round	Hickory
XRP8HIVE	Hickory XRP VersaEdge Stair Nose	Hickory
XRP8HISLTP31	Hickory XRP All-In-One Trim	Hickory





BRAZILIAN CHERRY **8 MM** **WATERPROOF** VINYL PLANK

The Brazilian Cherry XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8mm WPC (Wood Composite Core), 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing
- 20 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 8 planks and 15.76 sq. ft per carton
- Carton weight: 23 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial

Brazilian Cherry 8 MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP8BC	Brazilian Cherry 8MM XRP	Cherry
XRP8BCMRQR	Brazilian Cherry XRP Quarter Round	Cherry
XRP8BCVE	Brazilian Cherry XRP VersaEdge Stair Nose	Cherry
XRP8BCSLTP31	Brazilian Cherry XRP All-In-One Trim	Cherry





ACACIA 8 MM WATERPROOF VINYL PLANK

The Acacia XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8mm WPC (Wood Composite Core), 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing
- 20 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 8 planks and 15.76 sq. ft per carton
- Carton weight: 23 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Acacia 8 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP8AC	Acacia 8MM XRP	Acacia
XRP8ACMRQR	Acacia XRP Quarter Round	Acacia
XRP8ACVE	Acacia XRP VersaEdge Stair Nose	Acacia
XRP8ACSLTP31	Acacia XRP All-In-One Trim	Acacia





COVINGTON LOFT **8 MM** **WATERPROOF** VINYL PLANK

The Covington Loft XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8 mm WPC (Wood Composite Core), 5mm core with a 1.5mm IXPE pad attached. Registered Embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 9" x 60"
- 8 planks and 29.92 sq. ft per carton
- Carton weight: 49 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Covington Loft 8 MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP8CL	Covington Loft 8MM XRP	Gray
XRP8CLMRQR	Covington Loft XRP Quarter Round	Gray
XRP8CLVE	Covington Loft XRP VersaEdge Stair Nose	Gray
XRP8CLSLTP31	Covington Loft XRP All-In-One Trim	Gray





FRANKLIN MILL **8 MM** **WATERPROOF** VINYL PLANK

The Franklin Mill XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8 mm WPC (Wood Composite Core), 5mm core with a 1.5mm IXPE pad attached. Registered Embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 9" x 60"
- 8 planks and 29.92 sq. ft per carton
- Carton weight: 49 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Franklin Mill 8 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP8FM	Franklin Mill 8MM XRP	Brown - Gray
XRP8FMMRQR	Franklin Mill XRP Quarter Round	Brown - Gray
XRP8FMVE	Franklin Mill XRP VersaEdge Stair Nose	Brown - Gray
XRP8FMSLTP31	Franklin Mill XRP All-In-One Trim	Brown - Gray





ROCKBRIDGE GRAY **8 MM** **WATERPROOF** VINYL PLANK

The Rockbridge Gray XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8 mm WPC (Wood Composite Core), 5mm core with a 1.5mm IXPE pad attached. Registered Embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 9" x 60"
- 8 planks and 29.92 sq. ft per carton
- Carton weight: 49 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Rockbridge Gray 8 MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP8RG	Rockbridge Gray 8MM XRP	Gray
XRP8RGMQR	Rockbridge Gray XRP Quarter Round	Gray
XRP8RGVE	Rockbridge Gray XRP VersaEdge Stair Nose	Gray
XRP8RGLTP31	Rockbridge Gray XRP All-In-One Trim	Gray





NORFOLK PLANK **8 MM** **WATERPROOF** VINYL PLANK

The Norfolk Plank XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8 mm WPC (Wood Composite Core), 5mm core with a 1.5mm IXPE pad attached. Registered Embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 9" x 60"
- 8 planks and 29.92 sq. ft per carton
- Carton weight: 49 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial



Norfolk Plank 8 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP8NP	Norfolk Plank 8MM XRP	Gray - Brown
XRP8NPMRQR	Norfolk Plank XRP Quarter Round	Gray - Brown
XRP8NPVE	Norfolk Plank XRP VersaEdge Stair Nose	Gray - Brown
XRP8RGS LTP31	Norfolk Plank XRP All-In-One Trim	Gray - Brown





BRENTWOOD POINT **8 MM** **WATERPROOF** VINYL PLANK

The Brentwood Point XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance.

- 8mm Wood Composite Core, 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 8 planks and 15.76 sq. ft per carton
- Carton weight: 23 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial

Brentwood Point 8 MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP8BR	Brentwood Point 8mm XRP	Gray
XRP8BRMRQR	Brentwood Point XRP Quarter Round	Gray
XRP8BRVE	Brentwood Point XRP VersaEdge Stair Nose	Gray
XRP8BRSLTP31	Brentwood Point XRP All-In-One Trim	Gray





COLUMBIA COURT **8 MM** **WATERPROOF** VINYL PLANK

The Columbia Court XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8mm Wood Composite Core, 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 8 planks and 15.76 sq. ft per carton
- Carton weight: 23 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial

Columbia Court 8 MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP8CC	Columbia Court 8MM XRP	Brown
XRP8CCMRQR	Columbia Court XRP Quarter Round	Brown
XRP8CCVE	Columbia Court XRP VersaEdge Stair Nose	Brown
XRP8CCSLTP31	Columbia Court XRP All-In-One Trim	Brown





MEMPHIS LANE **8 MM** **WATERPROOF VINYL PLANK**

The Memphis Lane XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8mm Wood Composite Core, 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 8 planks and 15.76 sq. ft per carton
- Carton weight: 23 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial

Memphis Lane 8 MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP8ML	Memphis Lane 8mm XRP	Brown
XRP8MLMRQR	Memphis Lane XRP Quarter Round	Brown
XRP8MLVE	Memphis Lane XRP VersaEdge Stair Nose	Brown
XRP8MLSLTP31	Memphis Lane XRP All-In-One Trim	Brown





KNOXVILLE PLACE **8 MM** **WATERPROOF** VINYL PLANK

The Knoxville Place XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- 8mm Wood Composite Core, 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: 6" x 48"
- 8 planks and 15.76 sq. ft per carton
- Carton weight: 23 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial

Knoxville Place 8MM Waterproof Vinyl Plank		
PRODUCT	DESCRIPTION	FINISH
XRP8KP	Knoxville Place 8mm XRP	Gray-Brown
XRP8KPMRQR	Knoxville Place XRP Quarter Round	Gray-Brown
XRP8KPVE	Knoxville Place VersaEdge Stair Nose	Gray-Brown
XRP8KPSLTP31	Knoxville Place All-In-One Trim	Gray-Brown





WINCHESTER PLACE **8 MM** **WATERPROOF** VINYL PLANK

The Winchester XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- Random width and length design!
- 8mm Wood Composite Core, 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: Mixed Widths: 4.88", 6.85", 8.86" and Mixed Lengths: 19.45", 39.29", 59.05"
- 16.87 sq. ft. per carton
- Carton weight: 25 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial

Winchester 8 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP8WP	Winchester Place 8mm XRP	Brown-Gray
XRP8WPMRQR	Winchester Place XRP Quarter Round	Brown-Gray
XRP8WPVE	Winchester Place VersaEdge Stair Nose	Brown-Gray
XRP8WPSLTP31	Winchester Place All-in-One Trim	Brown-Gray





JOHNSON CITY **8 MM** **WATERPROOF VINYL PLANK**

The Johnson City XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- Random width and length design!
- 8mm Wood Composite Core, 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: Mixed Widths: 4.88", 6.85", 8.86" and Mixed Lengths: 19.45", 39.29", 59.05"
- 16.87 sq. ft per carton
- Carton weight: 25 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial

Johnson City 8 MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP8JC	Johnson City 8MM XRP	Brown
XRP8JCMRQR	Johnson City XRP Quarter Round	Brown
XRP8JCVE	Johnson City VersaEdge Stair Nose	Brown
XRP8JCSLTP31	Johnson City All-In-One Trim	Brown





LEIPER'S FORK **8 MM** **WATERPROOF** VINYL PLANK

The Leiper's Fork XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- Random width and length design!
- 8mm Wood Composite Core, 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: Mixed Widths: 4.88", 6.85", 8.86" and Mixed Lengths: 19.45", 39.29", 59.05"
- 16.87 sq. ft per carton
- Carton weight: 25 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial

Leiper's Fork 8MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP8LF	Leiper's Fork 8MM XRP	Gray
XRP8LFMRQR	Leiper's Fork XRP Quarter Round	Gray
XRP8LFVE	Leiper's Fork XRP VersaEdge Stair Nose	Gray
XRP8LFLTP31	Leiper's Fork XRP All-In-One Trim	Gray





HARBOR ISLES **8 MM** **WATERPROOF VINYL PLANK**


The Harbor Isles XRP waterproof vinyl plank is a great way to showcase the natural beauty of wood flooring, without the expense or maintenance!

- Random width and length design!
- 8mm Wood Composite Core, 5mm core with a 1.5mm IXPE pad attached. Wood grain embossing.
- 20 mil wear layer
- Click and Float installation
- Dimensions: Mixed Widths: 4.88", 6.85", 8.86" and Mixed Lengths: 19.45", 39.29", 59.05"
- 16.87 sq. ft per carton
- Carton weight: 25 lbs.
- Floorscore Certified
- Warranty: 50 year residential, 10 year commercial

Harbor Isles 8MM Waterproof Vinyl Plank

PRODUCT	DESCRIPTION	FINISH
XRP8HA	Harbor Isles 8MM XRP	Gray
XRP8HAMRQR	Harbor Isles XRP Quarter Round	Gray
XRP8HAVE	Harbor Isles XRP VersaEdge Stair Nose	Gray
XRP8HASLTP31	Harbor Isles XRP All-In-One Trim	Gray






XRP **VERSA EDGE** STAIR NOSE

The Standard VersaEdge Stair Nose combines style and function to enhance the beauty of a staircase or step. For use on flooring with an overall thickness of up to 19 mm (0.75"). Finished with a High Wear Resistant Aluminum Oxide Laminate.

Shims available to be used with VersaEdge for floors for flush installations

Scan QR Code for installation guides

XRP VersaEdge Stair Nose & Shims		
PRODUCT	DESCRIPTION	LENGTH
XRP4FXVE	Fairfax 4.2mm XRP VE	94"
XRP4POVE	Portsmouth 4.2mm XRP VE	94"
XRP4RDVE	Richmond 4.2mm XRP VE	94"
XRP4ALVE	Alexandria 4.2mm XRP VE	94"
XRP5BDVE	Bedford 5mm XRP VE	94"
XRP5VAVE	Vienna 5mm XRP VE	94"
XRP5CRVE	Culpepper 5mm XRP VE	94"
XRP5QNVE	Quinton 5mm XRP VE	94"
XRP6SMVE	Salem 6mm XRP VE	94"
XRP6ADVE	Ashland 6mm XRP VE	94"
XRP6FRVE	Front Royal 6mm XRP VE	94"
XRP6WNVE	Washington 6mm XRP VE	94"
XRP8MAVE	Maple 8mm XRP VE	94"
XRP8HIVE	Hickory 8mm XRP VE	94"
XRP8BCVE	Brazilian Cherry 8mm XRP VE	94"
XRP8ACVE	Acacia 8mm XRP VE	94"
XRP8CLVE	Covington Loft 8mm XRP VE	94"
XRP8FMVE	Franklin Mill 8mm XRP VE	94"
XRP8RGVE	Rockbridge Gray 8mm XRP VE	94"
XRP8NPVE	Norfolk Plank 8mm XRP VE	94"
XRP6LXVE	Lexington 6.5mm XRP VE	94"
XRP6HNVE	Hampton 6.5mm XRP VE	94"
XRP6WGVE	Williamsburg 6.5mm XRP VE	94"
XRP6RNVE	Remington 6.5mm XRP VE	94"
XRP8BRVE	Brentwood Point 8mm XRP VE	94"
XRP8CCVE	Columbia Court 8mm XRP VE	94"
XRP8MLVE	Memphis Lane 8mm XRP VE	94"
XRP8KPVE	Knoxville Place 8mm XRP VE	94"
XRP8WPVE	Winchester Place 8mm XRP VE	94"
XRP8JCVE	Johnson City 8mm XRP VE	94"
XRP8LFVE	Leiper's Fork 8mm XRP VE	94"
XRP8HAVE	Harbor Isles 8mm XRP VE	94"
XRP5HIM5	Shim 5mm Floors	94"
XRP5HIM6-7	Shim 6-7mm Floors	94"
XRP5HIM8	Shim 8mm Floors	94"




XRP **QUARTER** ROUND

Quarter Rounds are used to conceal the required expansion space between the wall and the laminate flooring.

Our Quarter Round is Moisture Resistant and is made of Exterior Grade Composite Wood Product.

XRP Quarter Round		
PRODUCT	DESCRIPTION	LENGTH
XRP4FXMRQR	Fairfax 4.2mm XRP MRQR	94"
XRP4POMRQR	Portsmouth 4.2mm XRP MRQR	94"
XRP4RDMRQR	Richmond 4.2mm XRP MRQR	94"
XRP4ALMRQR	Alexandria 4.2mm XRP MRQR	94"
XRP5BDMRQR	Bedford 5mm XRP MRQR	94"
XRP5VAMRQR	Vienna 5mm XRP MRQR	94"
XRP5CRMQR	Culpepper 5mm XRP MRQR	94"
XRP5QNMQR	Quinton 5mm XRP MRQR	94"
XRP6SMMRQR	Salem 6mm XRP MRQR	94"
XRP6ADMQR	Ashland 6mm XRP MRQR	94"
XRP6FRMRQR	Front Royal 6mm XRP MRQR	94"
XRP6WNRMRQR	Washington 6mm XRP MRQR	94"
XRP8MAMRQR	Maple 8mm XRP MRQR	94"
XRP8HIMRQR	Hickory 8mm XRP MRQR	94"
XRP8BCMRQR	Brazilian Cherry 8mm XRP MRQR	94"
XRP8ACMRQR	Acacia 8mm XRP MRQR	94"
XRP8CLMRQR	Covington Loft 8mm XRP MRQR	94"
XRP8FMMRQR	Franklin Mill 8mm XRP MRQR	94"
XRP8RGMQR	Rockbridge Gray 8mm XRP MRQR	94"
XRP8NPMRQR	Norfolk Plank 8mm XRP MRQR	94"
XRP6LXMRQR	Lexington 6.5mm XRP MRQR	94"
XRP6HNRMRQR	Hampton 6.5mm XRP MRQR	94"
XRP6WGMQR	Williamsburg 6.5mm XRP MRQR	94"
XRP6RNMQR	Remington 6.5mm XRP MRQR	94"
XRP8BRMRQR	Brentwood Point 8mm XRP MRQR	94"
XRP8CCMRQR	Columbia Court 8mm XRP MRQR	94"
XRP8MLMRQR	Memphis Lane 8mm XRP MRQR	94"
XRP8KPMRQR	Knoxville Place 8mm XRP MRQR	94"
XRP8WPMRQR	Winchester Place 8mm XRP MRQR	94"
XRP8JCMRQR	Johnson City 8mm XRP MRQR	94"
XRP8LFMRQR	Leiper's Fork 8mm XRP MRQR	94"
XRP8HAMRQR	Harbor Isles 8mm XRP MRQR	94"






XRP SLIM TRIM 3-IN-1 TRIM

Our SlimTrim 3-in-1 Molding functions as a Reducer, T-Molding, and End Cap.


Comes with SlimTrack & Versatrack Shim for floors up to 1/4" (6.35mm). Finished with a High Wear Resistant Aluminum Oxide Laminate.

Scan QR Code for installation guides




XRP SlimTrim 3-in-1 Trim		
PRODUCT	DESCRIPTION	LENGTH
XRP4FXSLTP31	Fairfax 4.2mm XRP All-In-One Trim	94"
XRP4POSLSLTP31	Portsmouth 4.2mm XRP All-In-One Trim	94"
XRP4RDSLSLTP31	Richmond 4.2mm XRP All-In-One Trim	94"
XRP4ALSLSLTP31	Alexandria 4.2mm XRP All-In-One Trim	94"
XRP5BDSLSLTP31	Bedford 5mm XRP All-In-One Trim	94"
XRP5VASLSLTP31	Vienna 5mm XRP All-In-One Trim	94"
XRP5CRSLTP31	Culpepper 5mm XRP All-In-One Trim	94"
XRP5QNSLTP31	Quinton 5mm XRP All-In-One Trim	94"
XRP6SMSLTP31	Salem 6mm XRP All-In-One Trim	94"
XRP6ADSLTP31	Ashland 6mm XRP All-In-One Trim	94"
XRP6FRSLTP31	Front Royal 6mm XRP All-In-One Trim	94"
XRP6WNSLTP31	Washington 6mm XRP All-In-One Trim	94"
XRP8MASLTP31	Maple 8mm XRP All-In-One Trim	94"
XRP8HISLTP31	Hickory 8mm XRP All-In-One Trim	94"
XRP8BCSLTP31	Brazilian Cherry 8mm XRP All-In-One Trim	94"
XRP8ACSLTP31	Acacia 8mm XRP All-In-One Trim	94"
XRP8CLSLTP31	Covington Loft 8mm XRP All-In-One Trim	94"
XRP8FMSLTP31	Franklin Mill 8mm XRP All-In-One Trim	94"
XRP8RGSLSLTP31	Rockbridge Gray 8mm XRP All-In-One Trim	94"
XRP8NPSLTP31	Norfolk Plank 8mm XRP All-In-One Trim	94"
XRP6LXSLTP31	Lexington 6.5mm XRP All-In-One Trim	94"
XRP6HNSLTP31	Hampton 6.5mm XRP All-In-One Trim	94"
XRP6WGSLSLTP31	Williamsburg 6.5mm XRP All-In-One Trim	94"
XRP6RNSLTP31	Remington 6.5mm XRP All-In-One Trim	94"
XRP8BRSLTP31	Brentwood Point 8mm XRP All-In-One Trim	94"
XRP8CCSLTP31	Columbia Court 8mm XRP All-In-One Trim	94"
XRP8MLSLSLTP31	Memphis Lane 8mm XRP All-In-One Trim	94"
XRP8KPSLTP31	Knoxville Place 8mm XRP All-In-One Trim	94"
XRP8WPSLTP31	Winchester Place 8mm XRP All-In-One Trim	94"
XRP8JCSLTP31	Johnson City 8mm XRP All-In-One Trim	94"
XRP8LFSLSLTP31	Leiper's Fork 8mm XRP All-In-One Trim	94"
XRP8HASLTP31	Harbor Isles 8mm XRP All-In-One Trim	94"


SlimTrim as a Reducer



SlimTrim as a Transition



SlimTrim as an End Cap





NOTTOWAY **RED OAK** **ENGINEERED PLANK**

Red Oak is one of the most popular species for hardwood flooring and often thought of as the traditional choice. With its extended random board lengths, Gracious Home's 3/8-inch domestic Nottoway Red Oak engineered hardwood flooring will bring a whole new dimension to your decorating style.

- Species: Red Oak
- 3/8 in. Thick x 5 in. Wide x Random Lengths up to 48 in.
- Construction: Tongue & Groove, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Installation Methods: Staple, Glue, or Floating
- 25 Year Finish Warranty
- Finish Type: Aluminum Oxide
- Veneer Thickness: 2mm
- Installation Methods: Staple, Glue, or Floating
- Veneer Thickness: 2mm

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Nottoway Red Oak Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHE5NRO	Nottoway Red Oak 3/8" x 5"	Natural Rd Oak





BRISTOL HILL **OAK** **ENGINEERED** PLANK

Red Oak is one of the most popular species for hardwood flooring and often thought of as the traditional choice. With its extended random board lengths, Gracious Home's 3/8-inch domestic Bristol Hill Oak engineered hardwood flooring will bring a whole new dimension to your decorating style.

- Species: Red Oak
- 3/8 in. Thick x 5 in. Wide x Random Lengths up to 48 in.
- Construction: Tongue & Groove, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Installation Methods: Staple, Glue, or Floating
- 25 Year Finish Warranty
- Finish Type: Aluminum Oxide
- Veneer Thickness: 2mm
- Janka: 1290 Installation Methods: Staple, Glue, or Floating
- Veneer Thickness: 2mm

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Nottoway Red Oak Engineered Plank		
PRODUCT	DESCRIPTION	FINISH
GHE5BHO	Bristol Hill Oak 3/8" x 5"	Gunstock





CASTLETON MOUNT **OAK** **ENGINEERED** PLANK

Red Oak is one of the most popular species for hardwood flooring and often thought of as the traditional choice. With its extended random board lengths, Gracious Home's 3/8-inch domestic Bristol Oak Castleton engineered hardwood flooring will bring a whole new dimension to your decorating style.

- Species: Red Oak
- 3/8 in. Thick x 5 in. Wide x Random Lengths up to 48 in.
- Construction: Tongue & Groove, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Installation Methods: Staple, Glue, or Floating
- 25 Year Finish Warranty
- Finish Type: Aluminum Oxide
- Veneer Thickness: 2mm
- Janka: 1290 Installation Methods: Staple, Glue, or Floating
- Veneer Thickness: 2mm

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Castleton Mount Oak Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHE5CMO	Castleton Mount Oak 3/8" x 5"	Dark Brown





RAVENSWOOD FUMED **OAK** **ENGINEERED** PLANK

Red Oak is one of the most popular species for hardwood flooring and often thought of as the traditional choice. With its extended random board lengths, Gracious Home's 3/8-inch domestic Ravenswood Oak engineered hardwood flooring will bring a whole new dimension to your decorating style.

- Species: Red Oak
- 3/8 in. Thick x 5 in. Wide x Random Lengths up to 48 in.
- Construction: Tongue & Groove, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Installation Methods: Staple, Glue, or Floating
- 25 Year Finish Warranty
- Finish Type: Aluminum Oxide
- Veneer Thickness: 2mm
- Janka: 1290 Installation Methods: Staple, Glue, or Floating
- Veneer Thickness: 2mm

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Ravenswood Fumed Oak Engineered Plank		
PRODUCT	DESCRIPTION	FINISH
GHE5RFO	Ravenswood Fumed Oak 3/8" x 5"	Black Brown





DURHAM HICKORY ENGINEERED & SOLID PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can.

Engineered Hardwood:

- 1/2" thick x 5" wide X random to 87" long
- Construction: Tongue & Groove, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Staple, Glue or Float Installation
- Suitable for installation on, above and below grade
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide

Solid Hardwood:

- 5" wide X Random Length to 83"
- Construction: Tongue & Groove, Solid Hardwood
- Micro Beveled Edges/Micro Beveled Ends
- Nail or Staple Down Installation
- Suitable for installation on and above grade
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Durham Hickory Solid & Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHE5DMH-B	Durham Hickory Eng 5"	Brown Gray
GHS5DMH	Durham Hickory Solid 5"	Brown Gray





GASTON GREY **WHITE OAK** **ENGINEERED & SOLID** PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can.

Engineered Hardwood:

- 1/2" thick x 5" wide X random to 87" long
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Veneer Thickness: 3MM

Solid Hardwood:

- Construction: Tongue & Groove, Solid hardwood
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on and above grade
- Nail or Staple Down Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Gaston Grey White Oak Engineered & Solid Plank

PRODUCT	DESCRIPTION	FINISH
GHE5GGO-B	Gaston Grey Oak Eng 5"	Light Gray
GHS5GGO	Gaston Grey Oak Solid 5"	Light Gray





HALIFAX HICKORY ENGINEERED & SOLID PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can.

Engineered Hardwood:

- 1/2" thick x 5" wide X random to 87" long
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Veneer Thickness: 3MM

Solid Hardwood:

- 5" wide X Random Length to 83"
- Construction: Tongue & Groove, Solid hardwood
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on and above grade
- Nail or Staple Down
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Halifax Hickory Engineered & Solid Plank

PRODUCT	DESCRIPTION	FINISH
GHE5HXH-B	Halifax Hickory Eng 5"	Natural
GHS5HXH	Halifax Hickory Solid 5"	Natural





NASH COUNTY **HICKORY** **ENGINEERED & SOLID** PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can.

Engineered Hardwood:

- 1/2" thick x 5" wide X random to 87" long
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Veneer Thickness: 3MM

Solid Hardwood:

- 5" wide X Random Length to 83"
- Construction: Tongue & Groove, Solid hardwood
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on and above grade
- Nail or Staple Down Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Nash County Hickory Engineered & Solid Plank

PRODUCT	DESCRIPTION	FINISH
GHE5NCH-B	Nash County Hickory Eng 5"	Natural
GHS5NCH	Nash County Hickory Solid 5"	Natural





RANDOLPH HICKORY ENGINEERED & SOLID PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can.

Engineered Hardwood:

- 1/2" thick x 5" wide X random to 87" long
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Veneer Thickness: 3MM

Solid Hardwood:

- 5" wide X Random Length to 83"
- Construction: Tongue & Groove, Solid hardwood
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on and above grade
- Nail or Staple Down
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Randolph Hickory Engineered & Solid Plank

PRODUCT	DESCRIPTION	FINISH
GHE5RDH-B	Randolph Hickory Eng 5"	Natural
GHS5RDH	Randolph Hickory Solid 5"	Natural





ROCKINGHAM BLUFF **WHITE OAK** **ENGINEERED & SOLID** PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can.

Engineered Hardwood:

- 1/2" thick x 5" wide X random to 87" long
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Veneer Thickness: 3MM

Solid Hardwood:

- 5" wide X Random Length to 83"
- Construction: Tongue & Groove, Solid hardwood
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on and above grade
- Nail or Staple Down
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Rockingham Bluff Oak Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHE5RBO-B	Rockingham Bluff Oak Eng 5"	Brown
GHS5RBO	Rockingham Bluff Oak Solid 5"	Brown





WAKE COUNTY **WHITE OAK** **ENGINEERED & SOLID** PLANK

Real sawn wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can.

Engineered Hardwood:

- 1/2" thick x 5" wide X random to 87" long
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Veneer Thickness: 3MM

Solid Hardwood:

- 5" wide X Random Length to 83"
- Construction: Tongue & Groove, Solid hardwood
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on and above grade
- Nail or Staple Down
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Hamilton Creek Birch Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHE5WCO-B	Wake County Oak Eng 5"	Brown
GHS5WCO	Wake County Oak Solid 5"	Brown





WILMINGTON **WHITE OAK** **ENGINEERED & SOLID** PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can.

Engineered Hardwood:

- 1/2" thick x 5" wide X random to 87" long
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Veneer Thickness: 3MM

Solid Hardwood:

- 5" wide X Random Length to 83"
- Construction: Tongue & Groove, Solid hardwood
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on and above grade
- Nail or Staple Down
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Wilmington White Engineered & Solid Plank		
PRODUCT	DESCRIPTION	FINISH
GHE5WWO-B	Wilmington White Oak Eng 5"	Natural
GHS5WWO	Wilmington White Oak Solid 5"	Natural





WHEELER CREEK **HICKORY** **ENGINEERED** PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can. Our Engineered wood floors evolved from decades of product developments and advances resulting in products that can go where solid wood shouldn't providing the singularly unique floor that only real wood can.

- Species: Hickory
- 1/2" thick x 7" wide X random to 87" long
- Square feet per carton: 25.23
- Weight per carton: 54 lbs.
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Janka: 1820

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Wheeler Creek Hickory Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHE7WCH -B	Wheeler Creek Hickory	Hickory





SUTTON VALLEY **OAK** **ENGINEERED** PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can. Our Engineered wood floors evolved from decades of product developments and advances resulting in products that can go where solid wood shouldn't providing the singularly unique floor that only real wood can.

- Species: White Oak
- 1/2" thick x 7" wide X random to 87" long
- Square feet per carton: 25.23
- Weight per carton: 54 lbs.
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Janka: 1360

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Sutton Valley Oak Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHE7SVO-B	Sutton Valley Oak	Natural





ORCHARD HILL **OAK** **ENGINEERED** PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can. Our Engineered wood floors evolved from decades of product developments and advances resulting in products that can go where solid wood shouldn't providing the singularly unique floor that only real wood can.

- Species: White Oak
- 1/2" thick x 7" wide X random to 87" long
- Square feet per carton: 25.23
- Weight per carton: 54 lbs.
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Janka: 1360

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Orchard Hill Oak Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHE7OHO-B	Orchard Hill Oak	Brown





BLUE RIDGE **HICKORY** **ENGINEERED** PLANK

Real wood provides a uniquely singularly floor. Each board tells a story while providing a warmth no other floor can. Our Engineered wood floors evolved from decades of product developments and advances resulting in products that can go where solid wood shouldn't providing the singularly unique floor that only real wood can.

- Species: Hickory
- 1/2" thick x 7" wide X random to 87" long
- Square feet per carton: 25.23
- Weight per carton: 54 lbs.
- Construction: Tongue & Groove, Plywood core
- Micro Beveled Edges/Micro Beveled Ends
- Suitable for installation on, above and below grade
- Staple, Glue or Float Installation
- Lifetime Finish, Lifetime Structural
- Finish Type: Aluminum Oxide
- Janka: 1820

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Blue Ridge Hickory Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHE7BRH-B	Blue Ridge Hickory	Brown





CUMBERLAND PASS **HICKORY** **ENGINEERED** PLANK

Hickory has a varied grain pattern and is more distinctive than what you see in either Oak or Maple flooring. With its extended 4-foot, random board lengths, Gracious Home's 3/8-inch domestic Cumberland Pass Hickory locking engineered hardwood flooring will bring a whole new dimension to your decorating style.

- Species: Hickory
- 3/8 in. Thick x 5 3/8 in. Wide x Random Lengths up to 48 in.
- Square Feet per Carton: 22
- Weight per carton: 40 lbs
- Construction: Locking, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Veneer Thickness: 2mm
- Suitable for installation on, above and below grade
- Installation Methods: Floating or Glue Down
- Limited Lifetime Finish Warranty
- Finish Type: Aluminum Oxide
- Janka: 1820

This is a Special Order Product and will have an extended lead time

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Cumberland Pass Hickory Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHCEC5SH	Cumberland Pass Hickory	Natural Hickory





UNION RIVER **HICKORY** **ENGINEERED** PLANK

Hickory has a varied grain pattern and is more distinctive than what you see in either Oak or Maple flooring. With its extended 4-foot, random board lengths, Gracious Home's 3/8-inch domestic Union River Hickory locking engineered hardwood flooring will bring a whole new dimension to your decorating style.

- Species: Hickory
- 3/8 in. Thick x 5 3/8 in. Wide x Random Lengths up to 48 in.
- Square Feet per Carton: 22
- Weight per carton: 40 lbs
- Construction: Locking, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Veneer Thickness: 2mm
- Suitable for installation on, above and below grade
- Installation Methods: Floating or Glue Down
- Limited Lifetime Finish Warranty
- Finish Type: Aluminum Oxide
- Janka: 1820

This is a Special Order Product and will have an extended lead time

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Union River Hickory Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHCESURH	Union River Hickory 3/8" x 5 3/8"	Brown





HAMILTON CREEK **BIRCH** **ENGINEERED** PLANK

This prefinished engineered locking real wood Birch Scraped Floor has it all: a beautiful, rich dark brown stain, a subtly scraped surface enhances the natural, vintage appearance plus the planks are extra wide and feature random lengths. The stable construction features layers of real wood (no HDF or fiber board) that can be installed in basements, on ground or upper floors by simply clicking the planks together.

- Species: Birch
- 3/8 in. Thick x 5 3/8 in. Wide x Random Lengths up to 60 in.
- Square Feet per Carton: 37
- Weight per carton: 51 lbs.
- Construction: Locking, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Veneer Thickness: 2mm
- Suitable for installation on, above and below grade
- Installation Methods: Floating or Glue Down
- 25 Year Finish Warranty
- Finish Type: Aluminum Oxide
- Janka: 1260

This is a Special Order Product and will have an extended lead time

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood.

Hamilton Creek Birch Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHCE5HCB	Hamilton Creek Birch 3/8" x 5 3/8" x 5' RL	Brown





BRECKENRIDGE **BIRCH** **ENGINEERED** PLANK

This prefinished engineered locking real wood Birch Scraped Floor has it all: a beautiful, rich dark brown stain, a subtly scraped surface enhances the natural, vintage appearance plus the planks are extra wide and feature random lengths. The stable construction features layers of real wood (no HDF or fiber board) that can be installed in basements, on ground or upper floors by simply clicking the planks together.

- Species: Birch
- 3/8 in. Thick x 5 3/8 in. Wide x random Lengths up to 60 in.
- Square Feet per Carton: 37
- Weight per carton: 51 lbs.
- Construction: Locking, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Veneer Thickness: 2mm
- Suitable for installation on, above and below grade
- Installation Methods: Floating or Glue Down
- 25 Year Finish Warranty
- Finish Type: Aluminum Oxide
- Janka: 1260

This is a Special Order Product and will have an extended lead time

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Breckenridge Birch Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHCESBRB	Breckenridge Birch 3/8" x 5 3/8" x 5' RL	Tobacco





GREAT FALLS **OAK** **ENGINEERED** PLANK

White Oak is one of the most popular species for hardwood flooring. The Great Falls Oak locking engineered flooring is custom crafted from lumber harvested in the United States and every plank is wire brushed to pull out the natural beauty of the grain.

- Species: White Oak
- 3/8 in. Thick x 6 in. Wide x Random Lengths up to 48 in.
- Square Feet per Carton: 30.5
- Weight per carton: 51 lbs.
- Construction: Locking, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Veneer Thickness: 2mm
- Suitable for installation on, above and below grade
- Installation Methods: Floating or Glue Down
- Limited Lifetime Finish Warranty
- Finish Type: Aluminum Oxide
- Janka: 1360

This is a Special Order Product and will have an extended lead time

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Great Falls Oak Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHCE6GFO	Great Falls Oak 3/8" x 6"	Brown - Gray





SMYTH **WHITE OAK** **ENGINEERED** PLANK

White Oak is one of the most popular species for hardwood flooring. The Smyth White Oak locking engineered flooring is custom crafted from lumber harvested in the United States and every plank is wire brushed to pull out the natural beauty of the grain.

- Species: White Oak
- 3/8 in. Thick x 6 in. Wide x Random Lengths up to 48 in.
- Square Feet per Carton: 30.5
- Weight per carton: 51 lbs.
- Construction: Locking, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Veneer Thickness: 1.2mm
- Suitable for installation on, above and below grade
- Installation Methods: Floating or Glue Down
- Limited Lifetime Finish Warranty
- Finish Type: Aluminum Oxide
- Janka: 1360

This is a Special Order Product and will have an extended lead time

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Smyth White Oak Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHCE6SWO	Smyth White Oak 3/8" x 6"	Natural White Oak





FLOYDS FORK **OAK** **ENGINEERED** PLANK

White Oak is one of the most popular species for hardwood flooring. The Floyds Fork Oak locking engineered flooring is custom crafted from lumber harvested in the United States and every plank is wire brushed to pull out the natural beauty of the grain.

- Species: White Oak
- 3/8 in. Thick x 6 in. Wide x Random Lengths up to 48 in.
- Square Feet per Carton: 30.5
- Weight per carton: 51 lbs.
- Construction: Locking, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Veneer Thickness: 1.2mm
- Suitable for installation on, above and below grade
- Installation Methods: Floating or Glue Down
- Limited Lifetime Finish Warranty
- Finish Type: Aluminum Oxide
- Janka: 1360

This is a Special Order Product and will have an extended lead time

Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Floyds Fork Oak Engineered Plank

PRODUCT	DESCRIPTION	FINISH
GHCE6FFO	Floyds Fork Oak 3/8" x 6"	Natural White Oak





WILSON CHARCOAL **OAK** **ENGINEERED** PLANK

White Oak is one of the most popular species for hardwood flooring. The Wilson Charcoal Oak locking engineered flooring is custom crafted from lumber harvested in the United States and every plank is wire brushed to pull out the natural beauty of the grain.

- Species: White Oak
- 3/8 in. Thick x 6 in. Wide x Random Lengths up to 48 in.
- Square Feet per Carton: 30.5
- Weight per carton: 51 lbs.
- Construction: Locking, Plywood core
- Profile: Micro Beveled Edges/Micro Beveled Ends
- Veneer Thickness: 2mm
- Suitable for installation on, above and below grade
- Installation Methods: Floating or Glue Down
- Limited Lifetime Finish Warranty
- Finish Type: Aluminum Oxide
- Janka: 1360

This is a Special Order Product and will have an extended lead time
Hardwood flooring is a natural wood product; color of actual product may vary from images and samples depending on lighting and properties of the wood

Wilson Charcoal Oak Engineered Plank		
PRODUCT	DESCRIPTION	FINISH
GHC5WCO	Wilson Charcoal Oak 3/8" x 6"	Brown



HARDWOOD **QUARTER ROUND** TRIM

Quarter Round is a trim piece used to cover and finish the expansion space between flooring and a vertical structure or wall.

Hardwood Quarter Round Trim				
PRODUCT	DESCRIPTION	LENGTH	WIDTH	HEIGHT
GHE5NROQR	Nottoway Red Oak Quarter Round	78"	3/4"	3/4"
GHE5BHOQR	Bristol Hill Oak Quarter Round	78"	3/4"	3/4"
GHE5CMOQR	Castletston Mount Oak Quarter Round	78"	3/4"	3/4"
GHE5RFOQR	Ravenswood Fumed Oak Quarter Round	78"	3/4"	3/4"
GHC5CSHQR	Cumberland Pass Hickory Quarter Round	78"	3/4"	3/4"
GHC5URHQR	Union River Hickory Quarter Round	78"	3/4"	3/4"
GHC5HCBQR	Hamilton Creek Birch Quarter Round	78"	3/4"	3/4"
GHC5BRBQR	Breckenridge Birch Quarter Round	78"	3/4"	3/4"
GHCE6GFOQR	Great Falls Oak Quarter Round	78"	3/4"	3/4"
GHCE6SWOQR	Smyth White Oak Quarter Round	78"	3/4"	3/4"
GHCE6FFOQR	Floyds Fork Oak Quarter Round	78"	3/4"	3/4"
GHC5WCOQR	Wilson Charcoal Oak Quarter Round	78"	3/4"	3/4"
GHE5WWOQR	Wilmington White Oak Eng 5" QR 78"	78"	3/4"	3/4"
GHS5WWOQR	Wilmington White Oak Solid 5"QR 78"	78"	3/4"	3/4"
GHE5HXHQR	Halifax Hickory Eng 5" QR 78"	78"	3/4"	3/4"
GHS5HXHQR	Halifax Hickory Solid 5" QR 78"	78"	3/4"	3/4"
GHE5NCHQR	Nash County Hickory Eng 5"QR 78"	78"	3/4"	3/4"
GHS5NCHQR	Nash County Hickory Solid 5" QR 78"	78"	3/4"	3/4"
GHE5RBOQR	Rockingham Bluff Oak Eng 5" QR 78"	78"	3/4"	3/4"
GHS5RBOQR	Rockingham Bluff Oak Solid 5" QR 78"	78"	3/4"	3/4"
GHS5GGOQR	Gaston Grey Oak Solid 5"QR 78"	78"	3/4"	3/4"
GHE5GGOQR	Gaston Grey Oak Eng 5"QR 78"	78"	3/4"	3/4"
GHS5RDHQR	Randolph Hickory Solid 5" QR 78"	78"	3/4"	3/4"
GHE5RDHQR	Randolph Hickory Eng 5" QR 78"	78"	3/4"	3/4"
GHS5WCOQR	Wake County Oak Solid 5" QR 78"	78"	3/4"	3/4"
GHE5WCOQR	Wake County Oak Eng 5" QR 78"	78"	3/4"	3/4"
GHS5DMHQR	Durham Hickory Solid 5" QR 78"	78"	3/4"	3/4"
GHE5DMHQR	Durham Hickory Eng 5"QR 78"	78"	3/4"	3/4"
GHE7SVOQR	Sutton Valley Oak QR 78"	78"	3/4"	3/4"
GHE7WCHQR	Wheeler Creek Hickory QR 78"	78"	3/4"	3/4"
GHE7OHOQR	Orchard Hill OakQR 78"	78"	3/4"	3/4"
GHE7BRHQR	Blue Ridge Hickory QR 78"	78"	3/4"	3/4"



HARDWOOD **REDUCER** TRIM

Reducer trim provides a smooth transition between floors of uneven heights, like wood, floors to LVT.


Hardwood Reducer Trim				
PRODUCT	DESCRIPTION	LENGTH	WIDTH	HEIGHT
GHENRORED	Nottoway Red Oak Reducer	78"	1 1/2"	3/8"
GHESBHORED	Bristol Hill Oak Reducer	78"	1 1/2"	3/8"
GHESCMORED	Castletston Mount Oak Reducer	78"	1 1/2"	3/8"
GHESRFORED	Ravenswood Fumed Oak Reducer	78"	1 1/2"	3/8"
GHCE5CSHRED	Cumberland Pass Hickory Reducer	78"	1 1/2"	3/8"
GHCE5URHRED	Union River Hickory Reducer	78"	1 1/2"	3/8"
GHCE5HCBRED	Hamilton Creek Birch Reducer	78"	1 1/2"	3/8"
GHCE5BRBRED	Breckenridge Birch Reducer	78"	1 1/2"	3/8"
GHCE6GFORE	Great Falls Oak Reducer	78"	2"	3/8"
GHCE6SWORED	Smyth White Oak Reducer	78"	2"	3/8"
GHCE6FFORED	Floyds Fork Oak Reducer	78"	2"	3/8"
GHCE5WCORED	Wilson Charcoal Oak Reducer	78"	2"	3/8"
GHESWWORED	Wilmington White Oak Eng 5" RED 78"	78"	2"	1/2"
GHSSWWORED	Wilmington White Oak Solid 5" RED 78"	78"	2"	3/4"
GHESHXHRED	Halifax Hickory Eng 5" RED 78"	78"	2"	1/2"
GHSSHXHRED	Halifax Hickory Solid 5" RED 78"	78"	2"	3/4"
GHESNCHRED	Nash County Hickory Eng 5" RED 78"	78"	2"	1/2"
GHSSNCHRED	Nash County Hickory Solid 5" RED 78"	78"	2"	3/4"
GHESRBORED	Rockingham Bluff Oak Eng 5" RED 78"	78"	2"	1/2"
GHSSRBORED	Rockingham Bluff Oak Solid 5" RED 78"	78"	2"	3/4"
GHSSGGORED	Gaston Grey Oak Solid 5" RED 78"	78"	2"	3/4"
GHESGGORED	Gaston Grey Oak Eng 5" RED 78"	78"	2"	1/2"
GHSSRDHRED	Randolph Hickory Solid 5" RED 78"	78"	2"	3/4"
GHESRDHRED	Randolph Hickory Eng 5" RED 78"	78"	2"	1/2"
GHSSWCORED	Wake County Oak Solid 5" RED 78"	78"	2"	3/4"
GHESWCORED	Wake County Oak Eng 5" RED 78"	78"	2"	1/2"
GHSSDMHRED	Durham Hickory Solid 5" RED 78"	78"	2"	3/4"
GHESDMHRED	Durham Hickory Eng 5" RED 78"	78"	2"	1/2"
GHE7SVORED	Sutton Valley Oak RED 78"	78"	2"	1/2"
GHE7WCHRED	Wheeler Creek Hickory RED 78"	78"	2"	1/2"
GHE7OHORED	Orchard Hill Oak RED 78"	78"	2"	1/2"
GHE7BRHRED	Blue Ridge Hickory RED 78"	78"	2"	1/2"



HARDWOOD **T-MOLD** TRIM

T-mold is Commonly used to join two areas of flooring that are the same thickness.

Hardwood T-Mold Trim				
PRODUCT	DESCRIPTION	LENGTH	WIDTH	HEIGHT
GHE5NROT	Nottoway Red Oak T-Mold	78"	2"	1/4"
GHE5BHOT	Bristol Hill Oak T-Mold	78"	2"	1/4"
GHE5CMOT	Castletston Mount Oak T-Mold	78"	2"	1/4"
GHE5RFOT	Ravenswood Fumed Oak T-Mold	78"	2"	1/4"
GHCE5CSHTM	Cumberland Pass Hickory T-Mold	78"	2"	1/4"
GHCE5URHTM	Union River Hickory T-Mold	78"	2"	1/4"
GHCE5HCBTM	Hamilton Creek Birch T-Mold	78"	2"	1/4"
GHCE5BRBTM	Breckenridge Birch T-Mold	78"	2"	1/4"
GHCE6GFOTM	Great Falls Oak T-Mold	78"	2"	1/4"
GHCE6SWOTM	Smyth White Oak T-Mold	78"	2"	1/4"
GHCE6FFOTM	Floyds Fork Oak T-Mold	78"	2"	1/4"
GHCE5WCOTM	Wilson Charcoal Oak T-Mold	78"	2"	1/4"
GHE5WWOTM	Wilmington White Oak Eng 5" TM 78"	78"	2"	5/8"
GHS5WWOTM	Wilmington White Oak Solid 5" TM 78"	78"	2"	5/8"
GHE5HXHTM	Halifax Hickory Eng 5" TM 78"	78"	2"	5/8"
GHS5HXHTM	Halifax Hickory Solid 5" TM 78"	78"	2"	5/8"
GHE5NCHTM	Nash County Hickory Eng 5" TM 78"	78"	2"	5/8"
GHS5NCHTM	Nash County Hickory Solid 5" TM 78"	78"	2"	5/8"
GHE5RBOTM	Rockingham Bluff Oak Eng 5" TM 78"	78"	2"	5/8"
GHS5RBOTM	Rockingham Bluff Oak Solid 5" TM 78"	78"	2"	5/8"
GHS5GGOTM	Gaston Grey Oak Solid 5" TM 78"	78"	2"	5/8"
GHE5GGOTM	Gaston Grey Oak Eng 5" TM 78"	78"	2"	5/8"
GHS5RDHTM	Randolph Hickory Solid 5" TM 78"	78"	2"	5/8"
GHE5RDHTM	Randolph Hickory Eng 5" TM 78"	78"	2"	5/8"
GHS5WCOTM	Wake County Oak Solid 5" TM 78"	78"	2"	5/8"
GHE5WCOTM	Wake County Oak Eng 5" TM 78"	78"	2"	5/8"
GHS5DMHTM	Durham Hickory Solid 5" TM 78"	78"	2"	5/8"
GHE5DMHTM	Durham Hickory Eng 5" TM 78"	78"	2"	5/8"
GHE7SVOTM	Sutton Valley Oak TM 78"	78"	2"	5/8"
GHE7WCHTM	Wheeler Creek Hickory TM 78"	78"	2"	5/8"
GHE7OHOTM	Orchard Hill Oak TM 78"	78"	2"	5/8"
GHE7BRHTM	Blue Ridge Hickory TM 78"	78"	2"	5/8"



HARDWOOD **THRESHOLD** TRIM

Thresholds are frequently used where wood flooring meets carpeting in doorways and other areas.

Hardwood Threshold Trim				
PRODUCT	DESCRIPTION	LENGTH	WIDTH	HEIGHT
GHE5NROTH	Nottoway Red Oak Threshold	78"	2"	5/8"
GHE5BHOTH	Bristol Hill Oak Threshold	78"	2"	5/8"
GHE5CMOTH	Castletston Mount Oak Threshold	78"	2"	5/8"
GHE5RFOTH	Ravenswood Fumed Oak Threshold	78"	2"	5/8"
GHE5CSHHTH	Cumberland Pass Hickory Threshold	78"	2"	5/8"
GHE5URHTH	Union River Hickory Threshold	78"	2"	5/8"
GHE5HCBTH	Hamilton Creek Birch Threshold	78"	2"	5/8"
GHE5BRBTH	Breckenridge Birch Threshold	78"	2"	5/8"
GHE6GFOTH	Great Falls Oak Threshold	78"	2"	5/8"
GHE6SWOTH	Smyth White Oak Threshold	78"	2"	5/8"
GHE6FFOTH	Floyds Fork Oak Threshold	78"	2"	5/8"
GHE5WCOTH	Wilson Charcoal Oak Threshold	78"	2"	5/8"
GHE5WWOTH	Wilmington White Oak Eng 5" Thres 78"	78"	2"	1/2"
GHS5WWOTH	Wilmington White Oak Solid 5" Thres 78"	78"	2"	1/2"
GHE5HXHTH	Halifax Hickory Eng 5" Thres 78"	78"	2"	1/2"
GHS5HXHTH	Halifax Hickory Solid 5" Thres 78"	78"	2"	1/2"
GHE5NCHTH	Nash County Hickory Eng 5" Thres 78"	78"	2"	1/2"
GHS5NCHTH	Nash County Hickory Solid 5" Thres 78"	78"	2"	1/2"
GHE5RBOTH	Rockingham Bluff Oak Eng 5" Thres 78"	78"	2"	1/2"
GHS5RBOTH	Rockingham Bluff Oak Solid 5" Thres 78"	78"	2"	1/2"
GHS5GGOTH	Gaston Grey Oak Solid 5" Thres 78"	78"	2"	1/2"
GHE5GGOTH	Gaston Grey Oak Eng 5" Thres 78"	78"	2"	1/2"
GHS5RDHHTH	Randolph Hickory Solid 5" Thres 78"	78"	2"	1/2"
GHE5RDHHTH	Randolph Hickory Eng 5" Thres 78"	78"	2"	1/2"
GHS5WCOTH	Wake County Oak Solid 5" Thres 78"	78"	2"	1/2"
GHE5WCOTH	Wake County Oak Eng 5" Thres 78"	78"	2"	1/2"
GHS5DMHTH	Durham Hickory Solid 5" Thres 78"	78"	2"	1/2"
GHE5DMHTH	Durham Hickory Eng 5" Thres 78"	78"	2"	1/2"
GHE7SVOTH	Sutton Valley Oak Thres 78"	78"	2"	1/2"
GHE7WCHTH	Wheeler Creek Hickory Thres 78"	78"	2"	1/2"
GHE7OHOTH	Orchard Hill Oak Thres 78"	78"	2"	1/2"
GHE7BRHTH	Blue Ridge Hickory Thres 78"	78"	2"	1/2"



HARDWOOD **STAIR NOSE** TRIM

Stair Nose Provides a transition between floor and riser and take the brunt of foot traffic.


Hardwood Threshold Trim				
PRODUCT	DESCRIPTION	LENGTH	WIDTH	HEIGHT
GHE5NROSN	Nottoway Red Oak 2 3/8" Stair Nose	78"	2 3/8"	3/8"
GHE5BHOSN	Bristol Hill Oak 2 3/8" Stair Nose	78"	2 3/8"	3/8"
GHE5CMOSN	Castletston Mount Oak 2 3/8" Stair Nose	78"	2 3/8"	3/8"
GHE5RFOSN	Ravenswood Fumed Oak 2 3/8" Stair Nose	78"	2 3/8"	3/8"
GHCE5CSHSN	Cumberland Pass Hickory 2 3/8" Stair Nose	78"	2 3/8"	3/8"
GHCE5URHSN	Union River Hickory Stair Nose	78"	2 3/8"	3/8"
GHCE5HCBSN	Hamilton Creek Birch Stair Nose	78"	2 3/8"	3/8"
GHCE5BRBSN	Breckenridge Birch Stair Nose	78"	2 3/8"	3/8"
GHCE6GFOSN	Great Falls Oak 2 3/8" Stair Nose	78"	2 3/8"	3/8"
GHCE6SWOSN	Smyth White Oak 2 3/8" Stair Nose	78"	2 3/8"	3/8"
GHCE6FFOSN	Floyds Fork Oak 2 3/8" Stair Nose	78"	2 3/8"	3/8"
GHCE5WCOSN	Wilson Charcoal Oak 2 3/8" Stair Nose	78"	2 3/8"	3/8"
GHE5WWOSN	Wilmington White Oak Eng 5" SN 78"	78"	2-3/8"	7/8"
GHS5WWOSN	Wilmington White Oak Solid 5" SN 78"	78"	3"	7/8"
GHE5HXHSN	Halifax Hickory Eng 5" SN 78"	78"	2-3/8"	7/8"
GHS5HXHSN	Halifax Hickory Solid 5" SN 78"	78"	3"	7/8"
GHE5NCHSN	Nash County Hickory Eng 5" SN 78"	78"	2-3/8"	7/8"
GHS5NCHSN	Nash County Hickory Solid 5" SN 78"	78"	3"	7/8"
GHE5RBOSN	Rockingham Bluff Oak Eng 5" SN 78"	78"	2-3/8"	7/8"
GHS5RBOSN	Rockingham Bluff Oak Solid 5" SN 78"	78"	3"	7/8"
GHS5GGOSN	Gaston Grey Oak Solid 5" SN 78"	78"	3"	7/8"
GHE5GGOSN	Gaston Grey Oak Eng 5" SN 78"	78"	2-3/8"	7/8"
GHS5RDHSN	Randolph Hickory Solid 5" SN 78"	78"	3"	7/8"
GHE5RDHSN	Randolph Hickory Eng 5" SN 78"	78"	2-3/8"	7/8"
GHS5WCOSN	Wake County Oak Solid 5" SN 78"	78"	3"	7/8"
GHE5WCOSN	Wake County Oak Eng 5" SN 78"	78"	2-3/8"	7/8"
GHS5DMHSN	Durham Hickory Solid 5" SN 78"	78"	3"	7/8"
GHE5DMHSN	Durham Hickory Eng 5" SN 78"	78"	2-3/8"	7/8"
GHE7SVOSN	Sutton Valley Oak SN 78"	78"	2-3/8"	7/8"
GHE7WCHSN	Wheeler Creek Hickory SN 78"	78"	2-3/8"	7/8"
GHE7OHOSN	Orchard Hill Oak SN 78"	78"	2-3/8"	7/8"
GHE7BRHSN	Blue Ridge Hickory SN 78"	78"	2-3/8"	7/8"



UNFINISHED **HARDWOOD** TREADS

Our stair treads can be stained to match any finish. We have a variety of tread styles and dimensions. They can match and work with any project, whether your treads are in an enclosed stairway or if the staircase is partially open.

Unfinished Hardwood Treads				
PRODUCT	DESCRIPTION	LENGTH	WIDTH	HEIGHT
UNFWOTREAD42	UNF White Oak Tread 42 w/o return	42"	11.5"	1"
UNFWOTREAD48	UNF White Oak Tread 48 w/o return	48"	11.5"	1"
UNFWOTREAD52	UNF White Oak Tread 52 w/o return	52"	11.5"	1"
UNFWOTREAD42	UNF White Oak Tread 42 w/return	42"	11.5"	1"
UNFWOTREAD48	UNF White Oak Tread 48 w/return	48"	11.5"	1"
UNFWOTREAD52	UNF White Oak Tread 52 w/return	52"	11.5"	1"
UNFMATREAD42	UNF Maple Tread 42 w/o return	42"	11.5"	1"
UNFMATREAD48	UNF Maple Tread 48 w/o return	48"	11.5"	1"
UNFMATREAD52	UNF Maple Tread 52 w/o return	52"	11.5"	1"
UNFMATREAD42	UNF Maple Tread 42 w/return	42"	11.5"	1"
UNFMATREAD48	UNF Maple Tread 48 w/return	48"	11.5"	1"
UNFMATREAD52	UNF Maple Tread 52 w/return	52"	11.5"	1"
UNFHITREAD42	UNF Hickory Tread 42 w/o return	42"	11.5"	1"
UNFHITREAD48	UNF Hickory Tread 48 w/o return	48"	11.5"	1"
UNFHITREAD52	UNF Hickory Tread 52 w/o return	52"	11.5"	1"
UNFHITREAD42	UNF Hickory Tread 42 w/return	42"	11.5"	1"
UNFHITREAD48	UNF Hickory Tread 48 w/return	48"	11.5"	1"
UNFHITREAD52	UNF Hickory Tread 52 w/return	52"	11.5"	1"



PRIMED **STAIR** RISERS

Finish your stair project with our primed stair treads. Available in a variety of lengths.

Primed Stair Treads				
PRODUCT	DESCRIPTION	LENGTH	WIDTH	HEIGHT
PRRISER42	Primed Riser 42"	42"	7 1/4"	21/32"
PRRISER48	Primed Riser 48"	48"	7 1/4"	21/32"
PRRISER52	Primed Riser 52"	52"	7 1/4"	21/32"

SILICONE **VAPOR** SHIELD

SVS is made of 6 mil. wet-strength paper and has a baked-on silicone coating. It won't easily tear apart during installation like red rosin, craft paper or wax papers.

All the paper used for SVS has been re-purposed. We pride ourselves in providing our customers with an environmentally safe product that is made of 100% Recycled materials.

Approved for use on LVT, Engineered and Solid Floors on most substrates.

Not IIC or STC Rated.

Silicone Vapor Shield

PRODUCT	DESCRIPTION	SQ. FT. per Roll
SIL400	Silicone Vapor Shield	400



ECLIPSE II **FLOORING** UNDERLAYMENT

Approved for use under floor planks with or without pre-attached pad. The Eclipse II foam flooring underlayment provides sound absorption to reduce floor noise and is suitable for use under floating laminates, engineered wood, or solid rigid core vinyl. Not suited for glue down installation. Provides moisture protection and is mold and mildew resistant. The Eclipse II underlayment is GreenGuard Gold Certified, is 100% recyclable, and includes a limited lifetime warranty. Safe for use with radiant heat flooring systems.

Approved Substrates:

- Dry, completely cured concrete (at least 14 days old with HVAC operating)
- 3/4" interior plywood or OSB flooring
- Waterproofing and crack-isolation membranes
- Cement backer units

Eclipse II Flooring Underlayment		
PRODUCT	DESCRIPTION	SQ. FT. per Roll
ECL100	Eclipse II Underlayment	100

Eclipse II Flooring Underlayment			
IIC	STC	FLOORING	SUB FLOOR
72	66	Laminate	6" concrete with ceiling assembly
72	66	Engineered Wood	6" concrete with ceiling assembly
66	60	Solid Rigid Core Vinyl	6" concrete with ceiling assembly
53	50	Solid Rigid Core Vinyl	6" concrete NO ceiling assembly



ECO ULTIMATE SILENCER FLOORING UNDERLAYMENT

Approved for use under floor planks with or without pre-attached pad. The Eco-Ultimate Silencer foam flooring underlayment provides moisture protection and sound absorption. Made with recycled granulated rubber tires and high density frothed polyurethane foam using renewable resources. Suitable for glue down, nail down, and floating laminate, engineered wood, hardwood, and bamboo flooring installations. GreenGuard Gold Certified, 100% recyclable and eco-friendly, and contains Ultra-Fresh™ anti-microbial treatment. This flooring underlayment is suitable for use with radiant heat flooring and features Crushpruf™ technology that resists indentations.

Approved Substrates:

- Dry, completely cured concrete (at least 14 days old with HVAC operating)
- ¾" interior plywood, OSB flooring, gypcrete (must be primed before glue down)
- Waterproofing and crack-isolation membranes
- Cement backer units
- Existing vinyl, wood, and laminate floors

Eco-Ultimate Silencer Flooring Underlayment		
PRODUCT	DESCRIPTION	SQ. FT. per Roll
ECO100	Eco-Silencer HD FOF	100

Eco-Ultimate Silencer Flooring Underlayment			
IIC	STC	FLOORING	SUB FLOOR
73	73	Laminate/ Engineered	8" concrete NO ceiling assembly
70	77	Laminate/ Engineered	6" concrete with ceiling assembly
58	53	Hardwood	6" concrete with ceiling assembly
52	51	Laminate/ Engineered	6" concrete NO ceiling assembly



6MM **POLY** FILM UNDERLAYMENT

Moisture barrier under Vinyl and Engineered Floating floors when installing over concrete substrates.

Not IIC or STC Rated.

6MM Poly Film Underlayment		
PRODUCT	DESCRIPTION	SQ. FT. per Roll
POLY120	6MM Poly Film Underlayment	120



SILENCER **LVT** FLOORING UNDERLAYMENT

Approved for use under floor planks with or without pre-attached pad. The Silencer LVT foam flooring underlayment is suitable for glue and floating plank flooring installations. Made with high-density polyurethane for excellent sound absorption to reduce floor noise. Contains Ultra-Fresh anti-microbial treatment and is 100% recyclable and eco-friendly. Adds thermal value and is suitable for use with radiant heat flooring.

Approved Substrates:

- Dry, completely cured concrete (at least 14 days old with HVAC operating)
- ¾" interior plywood, OSB flooring, gypcrete (must be primed before glue down)
- Waterproofing and crack-isolation membranes
- Cement backer units
- Existing vinyl, wood, and laminate floors

Silencer LVT Flooring Underlayment		
PRODUCT	DESCRIPTION	SQ. FT. per Roll
LVT100	Silencer LVT Underlayment	100

Silencer LVT Flooring Underlayment			
IIC	STC	FLOORING	SUB FLOOR
73	68	Vinyl Plank	6" concrete with ceiling assembly
53	51	Vinyl Plank	6" concrete NO ceiling assembly
55	55	Vinyl Plank	8" concrete NO ceiling assembly
52	57	Vinyl Plank	Wood Joist with Batt Insulation
55	58	Vinyl Plank	Wood Joist , Glue Down



WHITE PAINTED PERIMETER MOLDINGS

Create a classic transition between your flooring and wall or cabinetry surface. These pre-painted, ready to install Pine moldings save you time and money. Don't worry about painting your moldings, or waiting for them to dry before installation!

- No more paint drips or spills to clean up
- Durable water based white paint in a Semi-gloss finish
- Factory sealed finish makes trim pieces to clean
- Sherwin Williams Paint Code: K38W00350

White Painted Perimeter Molding		
PRODUCT	DESCRIPTION	FINISH
WPQR	3/4" x 3/4" x 12' Quarter Round	White
WPBBCL	9/16" x 3 1/4" x 12' Colonial Baseboard	White
WPBBCL5	9/16" x 5 1/4" x 12' Victorian Baseboard	White

